

GEWISS

Blockerade uttag



Malthe Winje

08-594 118 30 www.mwa.se info@mwa.se

				VERTICAL SOCKET-OUTLETS - 67 IB						VERTICAL SOCKET-OUTLETS FOR HEAVY DUTY USE - 66 IB		
												
Rated current In (A)	Rated voltage Un (V)	No. poles	Reference h.	Vertical socket-outlets with MCB, without bottom (AUTOMATIKA) IP 67	Vertical socket-outlets with MCB, with bottom (AUTOMATIKA) IP 67	Vertical socket-outlets with rotary switch, without bottom IP 67	Vertical socket-outlets with rotary switch, with bottom IP 67	Vertical socket-outlets with fuse-holder base, without bottom IP 67	Vertical socket-outlets with fuse-holder base, without bottom IP 67	Vertical socket-outlets with rotary switch, without bottom IP 66	Vertical socket-outlets with rotary switch, with bottom IP 66	Vertical socket-outlets with fuse-holder base, without bottom IP 66
16	20 ÷ 25 V	2P	s.r.			GW 66 359 N	GW 66 259 N					GW 66 886
	100 ÷ 130 V	2P + ⊥	4	GW 66 151 N	GW 66 051 N	GW 66 301 N	GW 66 201 N	GW 66 323 N	GW 66 223 N	GW 66 535	GW 66 501	GW 66 801
		3P + ⊥	4	GW 66 152 N	GW 66 052 N	GW 66 302 N	GW 66 202 N	GW 66 324 N	GW 66 224 N	GW 66 536	GW 66 502	GW 66 802
		3P + N + ⊥	4	GW 66 153 N	GW 66 053 N	GW 66 303 N	GW 66 203 N	GW 66 325 N	GW 66 225 N	GW 66 537	GW 66 503	GW 66 803
	200 ÷ 250 V	2P + ⊥	6	GW 66 154 N	GW 66 054 N	GW 66 304 N	GW 66 204 N	GW 66 326 N	GW 66 226 N	GW 66 538	GW 66 504	GW 66 804
		3P + ⊥	9	GW 66 155 N	GW 66 055 N	GW 66 305 N	GW 66 205 N	GW 66 327 N	GW 66 227 N	GW 66 539	GW 66 505	GW 66 805
		3P + N + ⊥	9	GW 66 156 N	GW 66 056 N	GW 66 306 N	GW 66 206 N	GW 66 328 N	GW 66 228 N	GW 66 540	GW 66 506	GW 66 806
	380 ÷ 415 V	2P + ⊥	9	GW 66 157 N	GW 66 057 N	GW 66 307 N	GW 66 207 N	GW 66 329 N	GW 66 229 N	GW 66 541	GW 66 507	GW 66 807
	346 ÷ 415 V	3P + ⊥	6	GW 66 158 N	GW 66 058 N	GW 66 308 N	GW 66 208 N	GW 66 330 N	GW 66 230 N	GW 66 542	GW 66 508	GW 66 808
		3P + N + ⊥	6	GW 66 159 N	GW 66 059 N	GW 66 309 N	GW 66 209 N	GW 66 331 N	GW 66 231 N	GW 66 543	GW 66 509	GW 66 809
	480 ÷ 500 V	3P + ⊥	7			GW 66 310 N	GW 66 210 N	GW 66 332 N	GW 66 232 N	GW 66 544	GW 66 510	GW 66 810
		3P + N + ⊥	7			GW 66 311 N	GW 66 211 N	GW 66 333 N	GW 66 233 N	GW 66 545	GW 66 511	GW 66 811
32	100 ÷ 130 V	2P + ⊥	4	GW 66 162 N	GW 66 062 N	GW 66 312 N	GW 66 212 N	GW 66 334 N	GW 66 234 N	GW 66 546	GW 66 512	GW 66 812
		3P + ⊥	4	GW 66 163 N	GW 66 063 N	GW 66 313 N	GW 66 213 N	GW 66 335 N	GW 66 235 N	GW 66 547	GW 66 513	GW 66 813
		3P + N + ⊥	4	GW 66 164 N	GW 66 064 N	GW 66 314 N	GW 66 214 N	GW 66 336 N	GW 66 236 N	GW 66 548	GW 66 514	GW 66 814
	200 ÷ 250 V	2P + ⊥	6	GW 66 165 N	GW 66 065 N	GW 66 315 N	GW 66 215 N	GW 66 337 N	GW 66 237 N	GW 66 549	GW 66 515	GW 66 815
		3P + ⊥	9	GW 66 166 N	GW 66 066 N	GW 66 316 N	GW 66 216 N	GW 66 338 N	GW 66 238 N	GW 66 550	GW 66 516	GW 66 816
		3P + N + ⊥	9	GW 66 167 N	GW 66 067 N	GW 66 317 N	GW 66 217 N	GW 66 339 N	GW 66 239 N	GW 66 551	GW 66 517	GW 66 817
	380 ÷ 415 V	2P + ⊥	9	GW 66 168 N	GW 66 068 N	GW 66 318 N	GW 66 218 N	GW 66 340 N	GW 66 240 N	GW 66 552	GW 66 518	GW 66 818
	346 ÷ 415 V	3P + ⊥	6	GW 66 169 N	GW 66 069 N	GW 66 319 N	GW 66 219 N	GW 66 341 N	GW 66 241 N	GW 66 553	GW 66 519	GW 66 819
		3P + N + ⊥	6	GW 66 170 N	GW 66 070 N	GW 66 320 N	GW 66 220 N	GW 66 342 N	GW 66 242 N	GW 66 554	GW 66 520	GW 66 820
	480 ÷ 500 V	3P + ⊥	7			GW 66 321 N	GW 66 221 N	GW 66 343 N	GW 66 243 N	GW 66 555	GW 66 521	GW 66 821
		3P + N + ⊥	7			GW 66 322 N	GW 66 222 N	GW 66 344 N	GW 66 244 N	GW 66 556	GW 66 522	GW 66 822
	380 ÷ 440 V	3P + ⊥	3			GW 66 357 N	GW 66 257 N	GW 66 358 N	GW 66 258 N	GW 66 557	GW 66 523	GW 66 823
63	100 ÷ 130 V	2P + ⊥	4			GW 67 356 N	GW 67 256 N	GW 66 345 N	GW 67 245 N		GW 66 524	
		3P + ⊥	4			GW 67 357 N	GW 67 257 N	GW 66 346 N	GW 67 246 N		GW 66 525	
		3P + N + ⊥	4			GW 67 358 N	GW 67 258 N	GW 66 347 N	GW 67 247 N		GW 66 526	
	200 ÷ 250 V	2P + ⊥	6			GW 67 359 N	GW 67 259 N	GW 66 348 N	GW 67 248 N		GW 66 527	
		3P + ⊥	9			GW 67 360 N	GW 67 260 N	GW 66 349 N	GW 67 249 N		GW 66 528	
		3P + N + ⊥	9			GW 67 361 N	GW 67 261 N	GW 66 350 N	GW 67 250 N		GW 66 529	
	380 ÷ 415 V	2P + ⊥	9			GW 67 362 N	GW 67 262 N	GW 66 351 N	GW 67 251 N		GW 66 530	
		3P + ⊥	6			GW 67 363 N	GW 67 263 N	GW 66 352 N	GW 67 252 N		GW 66 531	
	346 ÷ 415 V	3P + N + ⊥	6			GW 67 364 N	GW 67 264 N	GW 66 353 N	GW 67 253 N		GW 66 532	
	480 ÷ 500 V	3P + ⊥	7			GW 67 365 N	GW 67 265 N	GW 66 354 N	GW 67 254 N		GW 66 533	
		3P + N + ⊥	7			GW 67 366 N	GW 67 266 N	GW 66 355 N	GW 67 255 N		GW 66 534	
											Vertical surface-mounting socket-outlets with electric interlock, with circuit breaker protection	
125	100 ÷ 130 V	3P + ⊥	4								GW 66 581	
		3P + N + ⊥	4								GW 66 582	
	200 ÷ 250 V	3P + ⊥	9								GW 66 583	
		3P + N + ⊥	9								GW 66 584	
	380 ÷ 415 V	3P + ⊥	6								GW 66 585	
	346 ÷ 415 V	3P + N + ⊥	6								GW 66 586	
	480 ÷ 500 V	3P + ⊥	7								GW 66 587	
										GW 66 588		

Codes with an "N" suffix refer to the products of the new range of vertical interlocked switched socket-outlets IP67, and correspond to the product codes of the previous range without the letter "N" (apart from the AUTOMATIKA version); they can therefore be installed on the Q-DIN boards of the previous SBF versions, allowing any replacement or modification even on boards already installed. Using the GW 66 715 N adapters for 16-32A versions, and GW 66 716 N for 63A versions, they can also be installed on the Q-DIN boards or modular bases of the previous CBF versions.

VERTICAL SOCKET-OUTLETS FOR HEAVY DUTY USE - 66 IB			COMBIBLOC COMPACT SOCKET-OUTLETS				HORIZONTAL SOCKET-OUTLETS - 44 IB			
										
Vertical socket-outlets with fuse-holder base, with bottom IP 66	Vertical socket-outlets for modular devices, without bottom IP 66	Vertical socket-outlets for modular devices, with bottom IP 66	Compact socket-outlets with rotary switch, with bottom IP 44	Compact socket-outlets with rotary switch, with bottom IP 44	Compact socket-outlets with rotary switch, without bottom IP 55	Compact socket-outlets with rotary switch, with bottom IP 55	Horizontal socket-outlets with rotary switch, without bottom IP 44	Horizontal socket-outlets with rotary switch, with bottom IP 44	Horizontal socket-outlets with fuse-holder base, without bottom IP 44	Horizontal socket-outlets with fuse-holder base, with bottom IP 44
GW 66 998										
GW 66 951	GW 66 824	GW 66 974	GW 66 423	GW 66 401	GW 66 467	GW 66 445	GW 66 101	GW 66 001	GW 66 123	GW 66 023
GW 66 952	GW 66 825	GW 66 975	GW 66 424	GW 66 402	GW 66 468	GW 66 446	GW 66 102	GW 66 002	GW 66 124	GW 66 024
GW 66 953	GW 66 826	GW 66 976	GW 66 425	GW 66 403	GW 66 469	GW 66 447	GW 66 103	GW 66 003	GW 66 125	GW 66 025
GW 66 954	GW 66 827	GW 66 977	GW 66 426	GW 66 404	GW 66 470	GW 66 448	GW 66 104	GW 66 004	GW 66 126	GW 66 026
GW 66 955	GW 66 828	GW 66 978	GW 66 427	GW 66 405	GW 66 471	GW 66 449	GW 66 105	GW 66 005	GW 66 127	GW 66 027
GW 66 956	GW 66 829	GW 66 979	GW 66 428	GW 66 406	GW 66 472	GW 66 450	GW 66 106	GW 66 006	GW 66 128	GW 66 028
GW 66 957	GW 66 830	GW 66 980	GW 66 429	GW 66 407	GW 66 473	GW 66 451	GW 66 107	GW 66 007	GW 66 129	GW 66 029
GW 66 958	GW 66 831	GW 66 981	GW 66 430	GW 66 408	GW 66 474	GW 66 452	GW 66 108	GW 66 008	GW 66 130	GW 66 030
GW 66 959	GW 66 832	GW 66 982	GW 66 431	GW 66 409	GW 66 475	GW 66 453	GW 66 109	GW 66 009	GW 66 131	GW 66 031
GW 66 960	GW 66 833	GW 66 983					GW 66 110	GW 66 010	GW 66 132	GW 66 032
GW 66 961	GW 66 834	GW 66 984					GW 66 111	GW 66 011	GW 66 133	GW 66 033
GW 66 962	GW 66 835	GW 66 985	GW 66 434	GW 66 412	GW 66 478	GW 66 456	GW 66 112	GW 66 012	GW 66 134	GW 66 034
GW 66 963	GW 66 836	GW 66 986	GW 66 435	GW 66 413	GW 66 479	GW 66 457	GW 66 113	GW 66 013	GW 66 135	GW 66 035
GW 66 964	GW 66 837	GW 66 987	GW 66 436	GW 66 414	GW 66 480	GW 66 458	GW 66 114	GW 66 014	GW 66 136	GW 66 036
GW 66 965	GW 66 838	GW 66 988	GW 66 437	GW 66 415	GW 66 481	GW 66 459	GW 66 115	GW 66 015	GW 66 137	GW 66 037
GW 66 966	GW 66 839	GW 66 989	GW 66 438	GW 66 416	GW 66 482	GW 66 460	GW 66 116	GW 66 016	GW 66 138	GW 66 038
GW 66 967	GW 66 840	GW 66 990	GW 66 439	GW 66 417	GW 66 483	GW 66 461	GW 66 117	GW 66 017	GW 66 139	GW 66 039
GW 66 968	GW 66 841	GW 66 991	GW 66 440	GW 66 418	GW 66 484	GW 66 462	GW 66 118	GW 66 018	GW 66 140	GW 66 040
GW 66 969	GW 66 842	GW 66 992	GW 66 441	GW 66 419	GW 66 485	GW 66 463	GW 66 119	GW 66 019	GW 66 141	GW 66 041
GW 66 970	GW 66 843	GW 66 993	GW 66 442	GW 66 420	GW 66 486	GW 66 464	GW 66 120	GW 66 020	GW 66 142	GW 66 042
GW 66 971	GW 66 844	GW 66 994					GW 66 121	GW 66 021	GW 66 143	GW 66 043
GW 66 972	GW 66 845	GW 66 995					GW 66 122	GW 66 022	GW 66 144	GW 66 044
GW 66 973	GW 66 846	GW 66 996								
GW 66 847		GW 66 866								
GW 66 848		GW 66 867								
GW 66 849		GW 66 868								
GW 66 850		GW 66 869								
GW 66 851		GW 66 870								
GW 66 852		GW 66 871								
GW 66 853		GW 66 872								
GW 66 854		GW 66 873								
GW 66 855		GW 66 874								
GW 66 856		GW 66 875								
GW 66 857		GW 66 876								
	Vertical surface-mounting socket-outlets with electric interlock with residual current circuit breaker protection									
GW 66 591										
GW 66 592										
GW 66 593										
GW 66 594										
GW 66 595										
GW 66 596										
GW 66 597										
GW 66 598										

COMPLEMENTARY ITEMS										
			MODULAR BASES			DISTRIBUTION BOARDS				
						   				
			1 Socket-outlet	2 Socket-outlets	3 Socket-outlets	1 Socket-outlet	2 Socket-outlets	3 Socket-outlets		4 Socket-outlets
67 IB VERTICAL RANGE		IP67 vertical socket-outlets with rotary switch, with fuse-holder base and AUTOMATIKA 16/32A and 24V (SELV)	GW 66 690	GW 66 691	GW 66 694		GW 68 025 N (10 modules)	GW 68 010 N (14 modules)	GW 68 022 N (20 modules) 1 socket-outlet 63A 2 socket-outlets 16/32A	GW 68 015 N (20 modules)
		IP67 vertical socket-outlets with rotary switch (SBF) or with fuse-holder base 63A (CBF)	GW 66 693							
66 IB RANGE FOR HEAVY-DUTY USE		IP66 vertical socket-outlets for heavy duty use 16/32A	GW 66 696	GW 66 697	GW 66 698					
		IP66 vertical socket-outlets for heavy duty 63A	GW 66 700							
COMBIBLOC RANGE		IP44/55 compact protected watertight socket-outlets - 16/32A				GW 66 491	GW 66 492	GW 66 493		
44 IB HORIZONTAL RANGE		IP44 horizontal socket-outlets, without fuse-holder base (SBF) 16/32A					GW 68 006 N (14 modules) GW 68 019 N (10 modules)			GW 68 009 N (14 modules)
		IP44 horizontal socket-outlets with fuse-holder base (CBF) 16/32A								GW 68 014 N (20 modules)